

*elevate*

*elegance*

*enhance*



**ULTUX GLOBAL**  
THE ULTRA LUXURY





ULTUX GLOBAL  
THE ULTRA LUXURY

## Company Profile

As India's largest ceramics, porcelain tiles and sanitary ware manufacturer, we've been exporting premium products for over 12 years to 14+ countries. Using top-notch technology, we ensure best quality, timely delivery, and economical prices, making luxury accessible to all. our tagline, 'The Ultra Luxury' is our commitment to elevate every space. We prioritize customer satisfaction- Connect with us 24/7 and let's achieve excellence together! "




**Carving**  
COLLECTION

**1200x  
1600 MM**



## CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist



CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.



# PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

Grey



White



IVORY



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of  
The Residential Kitchen

Elevating Classic Style  
for Today's Homeowner

Leading Edge Design  
and Innovation



# PRODUCT Range




ATLANTIC GREY



BAGNARA



BULGARI GREY



CARNEL GREY



DENIM GREY




RIVA GREY



TRAVERTINE CLASSIC GREY



VERSACE GOLD



VINTAGE GREY



CAPRICORN GOLD



STATUARIO LIVON




ALBERT BEIGE



BLUETEE



BOTTOCHINO VENATO




BENTON BEIGE



CARNEL IVORY



DENIM BEIGE



VICTORIA BEIGE



REGAL NATURAL



TRAVERTINE CLASSIC

# PRODUCT Finishes

## CARVING

The Carving effect not only provides a depth effect to your flooring but also adds a shining effect.





## REVEL IN THE MAJESTIC **BEAUTY OF CARVING**

Born for the crest of creation, the slabs reflect the exceptional beauty of nature through their excellent designs that create a glorious ambiance in your space.







FEEL THE ABSOLUTE  
**ART OF ELEGANCE**

Carving collection renew the legacy of a depth effect that has always been popular in architecture, to offer contemporary design the prestige and timeless appeal of carefully selected by our designers.

## APPLICATION Areas

AIRPORT



DISCOTHEQUES



INDUSTRIES



GYMNASIUMS



HOTELS



CORRIDORS HALLS



SCHOOLS



SUPER MARKET



OFFICE



## TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS







ATLANTIC GREY





# **ATLANTIC GREY**

Random Face 3



**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





BAGNARA





# **BAGNARA**

Random Face 3

**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





BULGARI GREY





# **BULGARI GREY**

Random Face 3

**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION







DENIM GREY





# **DENIM GREY**

Random Face 3

**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





TRAVERTINE CLASSIC GREY





# **TRAVERTINE CLASSIC GREY**

Random Face 3



**BODY**  
**GREY BODY**


**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





VERSACE GOLD





# **VERSACE GOLD**

Random Face 3

**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





VINTAGE GREY





# VINTAGE GREY

Random Face 3

**BODY**  
**GREY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION







CAPRICORN GOLD





# **CAPRICORN GOLD**

Random Face 3

**BODY**  
**WHITE BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





STATUARIO LIVON





# **STATUARIO LIVON**

Random Face 3

**BODY**

**WHITE BODY**

**FINISH**

**CARVING**

**SIZE**

**1200x1600 MM**

**THICKNESS**

**15 MM**

**Carving**  
COLLECTION





ALBERT BEIGE





# **ALBERT BEIGE**

Random Face 3



**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





BLUETEE





# **BLUETEE**

Random Face 3

**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





BOTTOCHINO VENATO





# **BOTTOCHINO VENATO**

Random Face 3



**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**



**Carving**  
COLLECTION





BENTON BEIGE





# **BENTON BEIGE**

Random Face 3

**BODY**

**IVORY BODY**

**FINISH**

**CARVING**

**SIZE**

**1200x1600 MM**

**THICKNESS**

**15 MM**

**Carving**  
COLLECTION





CARNEL IVORY





# **CARNEL IVORY**

Random Face 3



**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





DENIM BEIGE





# **DENIM BEIGE**

Random Face 3



**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





REGAL NATURAL





# **REGAL NATURAL**

Random Face 3

**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





RIVA BEIGE





# **RIVA BEIGE**

Random Face 3

**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





TRAVERTINE CLASSIC





# **TRAVERTINE CLASSIC**

Random Face 3



**BODY**  
**IVORY BODY**

**FINISH**  
**CARVING**

**SIZE**  
**1200x1600 MM**

**THICKNESS**  
**15 MM**

**Carving**  
COLLECTION





VICTORIA BEIGE





# **VICTORIA BEIGE**

Random Face 3

**BODY**

**IVORY BODY**

**FINISH**

**CARVING**

**SIZE**

**1200x1600 MM**

**THICKNESS**

**15 MM**



**Carving**  
COLLECTION



## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness ( Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
<b>Structural Properties</b>			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 42.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m <sup>3</sup> m	Max. 132m <sup>3</sup> m	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< <sup>12</sup> ) / Posh ≥P1( <sup>12-24</sup> )	BS 7976-2
Slip resistance(DCOF)( R value) ##	as per mfg.	R9 to R <sup>13</sup>	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

\* With Nano polished

\*\* Except Hydrofluoric Acid & it's compound

# Tiles Intended for use on floor

## As per customer requirement

## Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Carving	Color Body	1200x1600mm	15mm	1pc	20.67 Sq ft	67 Kgs





**ULTUX GLOBAL**  
THE ULTRA LUXURY

+91 82009-53712

[www.ultuxglobal.com](http://www.ultuxglobal.com)

[info@ultuxglobal.com](mailto:info@ultuxglobal.com)