

elevate

elegance

enhance



ULTUX GLOBAL
THE ULTRA LUXURY



ULTUX GLOBAL
THE ULTRA LUXURY

Company Profile

As India's largest ceramics, porcelain tiles and sanitary ware manufacturer, we've been exporting premium products for over 12 years to 14+ countries. Using top-notch technology, we ensure best quality, timely delivery, and economical prices, making luxury accessible to all. our tagline, 'The Ultra Luxury' is our commitment to elevate every space. We prioritize customer satisfaction- Connect with us 24/7 and let's achieve excellence together! "




Exceeding The Limits To Always Get The Best

MATT
COLLECTIONS

800x1600 MM



CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

9 mm is set aside for the most demanding product applications such as wall & floor.

APPLICATION Areas

AIRPORT



STAIRCASE



INDUSTRIES



GYMNASIUMS



HOTELS



CORRIDORS HALLS



SCHOOLS



SUPER MARKET



OFFICE



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS





BERLINSTONE BEIGE


Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



BERLINSTONE BIANCO


Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



BERLINSTONE CREMA



Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



BRAZILLIAN BLUE

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



CANSAS GREY

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



CANSAS WENGE


Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



EMERALD GREY

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



EMERALD BEIGE

Random Face 3


FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION




EMERALD GRIS

Random Face 3




FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



EMERALD TAUPE

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



EMINENT WOOD BROWN

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



EMINENT WOOD RARE

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



FERRO CEMENTO

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



FERRO FUMO

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



FERRO TORTORA

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



HARBOUR BEIGE

Random Face 4

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



HARBOUR BROWN

Random Face 4

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



HARBOUR GREY

Random Face 4

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



HARBOUR SILVER

Random Face 4

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



IRON BLUE

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



LEGNO CHERRY

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION




LEGNO WENGE

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



MARAZZI CEMENTO

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



MARAZZI CHOCO

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



MARAZZI GRIGIO

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



MARAZZI ORO

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



NATURAL WOOD LIGHT

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



MEGA SAND

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



POPLAR BROWN


Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



POPLAR CREMA

Random Face 3

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM



MATT
COLLECTION



QUITE ASH

Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION



QUITEMIST


Random Face 2

FINISH
MATT

SIZE
800x1600 MM

THICKNESS
9 MM

MATT
COLLECTION





STANNIC CREMA

**FINISH
MATT**

**SIZE
800x1600mm**

RANDOM FACES

**MATT
COLLECTION**



STANNIC WHITE

**FINISH
MATT**

**SIZE
800x1600mm**

RANDOM FACES

**MATT
COLLECTION**



RANDOM FACES

TZ-01

**FINISH
MATT**

**SIZE
800x1600mm**

**MATT
COLLECTION**




RANDOM FACES

TZ-06

**FINISH
MATT**

**SIZE
800x1600mm**

**MATT
COLLECTION**



TZ-07

**FINISH
MATT**

**SIZE
800x1600mm**

RANDOM FACES

**MATT
COLLECTION**

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P ¹²⁻²⁴	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polishes

** Except Hydrofluoric Acid & its compound

Tiles Intended for use on floor

As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Matt	800x1600mm	9mm	2pc	27.55 Sq ft	53 Kgs



ULTUX GLOBAL
THE ULTRA LUXURY



+91 82009-53712

www.ultuxglobal.com

info@ultuxglobal.com